

EPSA[®] *safety first*

TRACHEOSTOMY CANNULA WITH
SUBGLOTTIC ASPIRATION

TRACHEOSTOMY CANNULA WITH SUBGLOTTIC ASPIRATION

CODE: 9245

1 PVC cannula, curved, flexible, transparent, longitudinal line opaque to X-ray, polished distal orifice, atraumatic. Standard connector at proximal end. Low-pressure cuff, pilot balloon and retention valve. Suction channel, with orifice next to the upper edge of the cuff.

1 insertion aid
1 velcro neck band



Available Sizes

6,0 / 6,5 / 7,0 / 7,5 / 8,0 / 8,5 / 9,0 / 9,5 / 10,0 mm

STERILE, SINGLE PACK, SINGLE USE.

Recommendation for use

Recommendation of a professional on the use of the technology.

The Tracheostomy Cannula with subglottic aspiration is indicated in patients who require mechanical ventilation due to functional, post-traumatic or surgical alterations that affect the patency of this sector of the airway.

Its purpose is:

- enable mechanical ventilation;
- allow endoscopic maneuvers (diagnostic and / or therapeutic in the airway);
- facilitate the humidification of secretions and endotracheal aspiration.



Recommendation for use

Recommendation of a professional on the use of the technology.

The cuff seals the tracheal lumen, allowing adequate control of gas movement during mechanical ventilation and preventing the passage of fluids and secretions from the upper airway into the bronchial tree.

It has an aspiration channel with a hole above the balloon that allows the tracheal secretions that accumulate in the subglottic space of the patient to be aspirated. Aspiration of subglottic secretions can be performed intermittently or continuously through a system that leads them to a reservoir.

